STAR ENGINEERING CHANGE NOTICE

1. ECN 197999
Proj. ECN

2. ECN Category (mark one) Supplemental [] Direct Revision [X]	<u> </u>	me, Organization, MSIN, a OO AREA RI/H6-02/3	•	No.	4. Date 02/17/94
Change ECN [] Temporary [] Standby [] Supersedure [] Cancel/Void []	OPERABLE UNIT VADO	o./Work Order No. REPORT FOR THE 100-HR-1 ISE BOREHOLE,WHC-SD-EN-TI- REV 0,P711A	2440 STEV	s./Fac. No. ENS CENTER ACE	7. Impact Level Q
cancet/voru :	(includes sheet	s Changed by this ECN no. and rev.) -TI-082, REV 0	9. Related	ECN No(s).	10. Related PO No.
11a. Modification Work [] Yes (fill out Blk. 11b)	11b. Work Package No. NA	11c. Modification Work C		11d. Restore	ed to Original Condi- or Standby ECN only)
[X] No (NA Blks. 11b, 11c, 11d)		Cog. Engineer Signatu	re & Date	Cog. Engi	neer Signature & Date
12. Description of Change PAGE CHANGE, Correct with attached page 5			(6)		994 P3

13b. Justification Details

[x]

Criteria Change

Facilitate Const.

13a. Justification

(mark one)

As-Found

Recalculation of laboratory data corrected mathematical error in sample analyte results.

14. Distribution (include	name, MSIN, and no. of copies)	RELEASE STAMP
J. M. AYRES R. P. HENCKEL G. S. CORRIGAN CENTRAL FILES (2) ERC	H6-02 H6-02 H4-16 L8-04 H6-07	OFFICIAL RELEASE 11 BY WHC DATE MAY 0 4 1994
EPIC (2)(1)	H6-08	Station # 12

Design Improvement

Const. Error/Omission

Environmental

Design Error/Omission

A-7900-013-2 (06/92) GEF095

[x]

[x]

EN	IGINEERING (CHANGE NO			1. ECN (use no	o. from pg. 1)					
	- Conversion	MARGE RC		Page 2	of 2	197999					
15. Design	16. Cost Impac	t		<u> </u>	1	7. Schedule Impac	Impact (days)				
Verification Required	ENGI	NEERING	CON	STRUCTION							
[] Yes	Additional	Γ 1 \$	Additional	ניו 2	1	mprovement	٢٦				
סא נגן	Savings	רוֹ \$	Savings	\$ וֹז	٥	elay	[]				
18. Change Impact R	eview: Indicate	the related o	locuments (other th	an the engineer	ring docum	ments identified	on Side 1)				
that will be af	fected by the ch	ange described	l in Block 12. Ent	er the affected	d document	t number in Block	19.				
	[]		nic/Stress Analysis	[]		ink Calibration Manual	į J				
Functional Design Criteria	, []		s/Design Report	[]		alth Physics Procedur	L J				
Operating Specification			ace Control Drawing	pares Multiple Unit List	- LJ						
Criticality Specification	[]		ration Procedure	[]		est Procedures/Specific	cation []				
Conceptual Design Repor	† []	Insta	lation Procedure	[]	Co	omponent Index	[]				
Equipment Spec.	[]	Main	tenance Procedure	[]	AS	SME Coded Item	[]				
Const. Spec.	[]	Engir	eering Procedure	[]	Hu	ıman Factor Considera	ition []				
Procurement Spec.	[]	Oper	ating Instruction	[]	Co	omputer Software	[]				
Vendor Information	[]	Oper	ating Procedure	[]	Ele	ectric Circuit Schedule					
OM Manual	[]	Oper	ational Safety Requireme	nt []	IC	Ϊĺ					
FSAR/SAR	[]	IEFD	Drawing	ĨĪ	Pr	'Plan [j					
Safety Equipment List	[]	Cell	Arrangement Drawing	ĨĨ	Pr	Process Flow Chart					
Radiation Work Permit	[]	Essei	ntial Material Specificatio	n jj	Pu	Purchase Requisition					
Environmental Impact St	atement []	Fac.	Proc. Samp. Schedule	ii			ŕi				
Environmental Report	ΪĨ	Inspe	ction Plan	ĨĨ			ίĵ				
Environmental Permit	ĨĨ	Inver	tory Adjustment Reques	i îi			. []				
	he signing organ mber/Revision	ization has be	listed below will a en notified of othe Document Number/Rev	er affected doc	uments li	isted below. Document Number R					
20. Approvals											
1	Signature		Date		Signatu	re	Date				
OPERATIONS AND ENGI	NEERING			ARCHITECT-ENG	_	•	2415				
Cog Engineer J. M.	AYRES	(fly	2/17/94	PE							
Cog. Mgr. R. P. HE	NCKEL AND	Ų ^s	2/17/94	QA							
QA G. S. CORRIGAN	Hary Cor	regan	2-17-94	Safety							
Safety	0	V									
Security				Environ.							
Environ.				Other							
Projects/Programs											
Tank Waste Remediat	ion System										
facilities Operatio	ns			DEPARTMENT OF ENERGY							
Restoration & Remed	iation			Signature or I	Letter No	-					
Operations & Suppor	t Services										
IRM				ADDITIONAL							
Other											
											

10 1011 in:	
3/2/79/05	

INFORMATION RELEASE REQUEST

ference:	15
WHC-CM-3-4	34
	_ /

		Complete fo	r all Typ	pes of	Release		
Pu	rpose					ber (include revision, volu	
[] Speech or Presentation (Ch	ieck	<pre>[] Referen [X] Technic</pre>	nce cal Repor	·t	Mr	IC-SD-EN-TI-C	132 Revoa
	y one	[] Thesis	or		List a	ttachments.	
[] Summary suf	fix)	Dissertation [] Manual					
[] Abstract			e/Flier				
[] Visual Aid		1	e/Databa				
[] Speakers Bureau		[] Control	led Docu	ment		elease Required	
[] Poster Session		[] Other				March 20, 199	14
[] Videotape		L			l		
Title: Data Validation Report for	the 10	00-HR-1 Operable	Unit Va	dose Bo	rehole	Unclassified Category UC-	Impact Level Q
New or novel (patentable) subject	matter	? [X] No []Y				ived from others in confide	
If "Yes", has disclosure been sub	mitted		l Pi			, trade secrets, and/or inv	ventions?
company?			L	Х] Νο	[] Ye	es (Identify)	
No Yes Disclosure No(s)						
Copyrights? [X] No [] Yes				rademar			
If "Yes", has written permission		anted?] [[X] No	[] Ye	es (Identify)	
[] No [] Yes (Attach Permissi	on)						
1		Complete for	Speech o	or Pres	entation		
Title of Conference or Meeting			G	roup or	Society	Sponsoring	
□ N/A							
Date(s) of Conference or Meeting	City/	State		Wil	l procee	edings be [] Yes	[] No
•	"				olished?	[] Yes	[] No
;; •				Wil	l materi	ial be handed	f] vo
,				out	:?		
Title of Journal							
N/A							
		רטברעו ז	ST FOR S	TCNATOR	150		
Davies Compined non-UNC-CM-7-4	Vac	*				cates Approval	· , , , , , , , , , , , , , , , , , , ,
Review Required per WHC-CM-3-4	Yes	<u>No</u> Re		(printe		Signature	<u>Date</u>
Classification/Unclassified			Maine	(Bi)iiic	. <u></u>	<u> </u>	<u>bace</u>
Controlled Nuclear Information	[]	[X]					
Patent - General Counsel	[]	[x]					
Logal - Capanal Coupani			 				
Legal - General Counsel	[]	[X]				<u></u>	
Applied Technology/Export							
Controlled Information or International Program	[]	[X]					
WHC Program/Project	[]	I —			 		
	[] 	[X] —					
Communications	[]	[X]					
RL Program/Project	ſl	[X]					
Publication Services	7.7	[X]					
	Ĺj						
Other Program/Project	[]	[X]					
Information conforms to all applic	cable r	equirements. Th	he above	informa	ition is	certified to be correct.	
	<u>Ye</u> :	s <u>No</u>		INFORM	ATION RE	LEASE ADMINISTRATION APPRO	VAL STAMP
References Available to Intended	[X] []	Stamo i	s requi	red befo	ore release. Release is co	ntingent upon
Audience	۲۸	1 L1				y comments.	
Transmit to DOE-HQ/Office of							
Scientific and Technical Information	ra						
	[]						
Author/Requestor (Printed/Signatur	re) >	Date			्री आ	O'. FIGH CA	
1 M Ayras MICO		-4/29/94			A A	3 3 3	
J. M. Ayres		ツノニフノフマ					
Intended Audience		-				生 。	
		l			3	A Course of a	
[] Internal [] Sponsor	[X] Ex	ternal			14,	1 -1 -19V J	
Responsible Manager (Pi)inted/Signa		Date				20/2/20	
Responsible manager very fitters signa			<u> </u>			Males and Comments	
R. P. Henckel	4-29	7-94	Date Ca	ncelled	1	Date Disapprove	d

SUPPORTING DOCUMENT		1. Total Pages 5
2. Title	3. Number	4. Rev No.
Data Validation Report for the 100-HR-1 Operable Unit Vadose Borehole	WHC-SD-EN-TI-08 (ECN 197999)	32 0-A
5. Key Words	6. Author	
Volatile organics, Semivolatile organics, Gross alpha, Gross beta, Pesticides/PCB	Name: J. M. Ayr	es
	Organization/Charge 0 81310/P711A	Code
7. Abstract 5/2/94 10. Solis		
WHC, 1993, Data Validation Report for the 100-HR-1 WHC-SD-EN-TI-082, Rev. 0, prepared by A. T. Kearne Company, Richland, Washington.		
8. PURIOSE AND USE OF DESUMENTS - This document was repared for units in the U.S. Department of Energy and as contras ors. It is be used only to perform, direct, or integral, work and U.S. Copartment of Energy contracts. This document is not across for public release until reviewd. PATENT Since - This document took, since it is to be advance of a tent clearance, is take available in confidence sole	to er	E STAMP

performance under conty f Energy. Thi ment is not t U.S. Q than r used for poses oth its tents of yise dissem ied above re pate for sug release or u has rom the tent Cou el, U.S. Depar secured, upon ues t hland, WA. nergy Field Off

DISCLAIMER - This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

9. Impact Level Q

OFFICIAL RELEASE (11)
BY WHC
DATE MAY 0 4 1994

RECORD OF REVISION

(1) Document Number
WHC-SD-EN-TI-082, Rev. 0A

Page 1

(2) Title

Data Validation Report for the 100-HR-1 Operable Unit Vadose Borehole

	CHANGE CONTROL RECORD											
(3) Revision	(4) Description of Change - Replace, Add, and Delete Pages	Authorized for Release										
		(5) Cog. Engr.	(6) Cog. Mgr. Date									
0	(7) Original release via EDT 140181	J. M. Ayres	R. P. Hencke									
0-A R S	Revision via ECN 197999 to correct error by replacing page 5-10	J. M. Ayres	R. P. Henrykel, Kit 3/16/94									
			· · · · · ·									
-												
7												
4			1 Agreem - 100 agr									
		:										
			· · · · · · · · · · · · · · · · · · ·									
	· · · · · · · · · · · · · · · · · · ·											
-			· · · · · · · · · · · · · · · · · · ·									
			44.4									

Project: WESTINGH	OUSE-F	IANFORD	5	1																	
Laboratory: TMA				1																	
	SDG: B	05WN8	-	1																	
Sample Number B05WN8		B05WN9		B05WP0		B05WT8	B05WT8							<u> </u>		<u> </u>					
Location 116-H-9		116-H-9		116-H-9		116-H-7	7									<u> </u>					
Remarks												<u> </u>				ļ.,. <u>.</u>					
Sample Date		02/26/92		02/27/92		02/27/92		02/27/92										ļ			
Inorganic Analytes	CRQL	Result	Q	Result	Q		Q	I	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Aluminum	200	5840		9340		5010	<u> </u>	9070			_				ļ		<u> </u>	ļ <u>.</u> .	↓		1
Antimony	60	6.29	IJ	1	UJ		UJ		UJ						<u> </u>		ļ	ļ	 -		1
Arsenic	10	2.10	U	3.20	U		U	47.00									_	ļ	4		\sqcup
Barium	200	52.8		72.50		73.50	L_	94.90									↓		 		igspace
Beryllium	5	0.37		0.25		0.26		0.37				<u> </u>			<u> </u>	<u> </u>	1_	ļ	ļ		1_1
Cadmium	5	0.83	U	0.75	U	1.10	Ü	0.75	U						<u> </u>	<u> </u>			<u> </u>		
Calcium	5000	6210		6320		5150		5220							L		_	<u> </u>	<u> </u>		
Chromium	10	8.96		11.20		8.50		12.30							<u> </u>			<u> </u>			.
Cobalt	50	6.79		13.40		6.90		9.20							<u> </u>			ļ <u></u>	1		Ш
Copper	25	15.3		34.90		13.10		17.00			_		1_		<u> </u>		<u> </u>	<u> </u>	ļ		 _
Iron	100	14500		24200		13400	<u> </u>	19000	•				<u> </u>					ļ	<u> </u>		
Lead	3	7.90		4.20	l	<u> </u>	Π'n	540.00									<u> </u>		1		╙
Magnesium	5000	3930		6700		3640	<u> </u>	4630					1		ļ		 	<u> </u>	ļ		
Manganese	15	239		280.00		214.00		325.00	L.				1		_	ļ	<u> </u>	<u> </u>	<u> </u>		4
Mercury	0.2		U	0.09	U	0.09	U		U			<u> </u>	<u> </u>	ļ. <u></u>			٠.	<u> </u>	1_	ļ	1
Nickel	40	10.4		28.00		8.00	<u> </u>	11.80							<u> </u>	ļ	<u> </u>	ļ <u>.</u>	Ь.		4
Potasslum	5000	1020		600.00		916.00	_	1720	L_				ļ				<u> </u>	<u> </u>	↓	<u> </u>	4
Selenium	5	4.00		<u>. </u>	UJ	0.79			R-		<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	ļ	1	<u> </u>	
Silver	10	1.02	UJ	1	ÜJ		ŪĴ		UJ						ļ		 		-		↓
Sodium	5000	158	<u> </u>	721.00		271.00		182.00			ļ			<u> </u>	 		<u> </u>	ļ	 		\perp
Thalllum	10	0.59	UJ	0.57	UJ	0.59	บม		υJ				ļ		<u> </u>	ļ	ļ	<u> </u>	 		
Vanadium	50	30.6	_	46.70	L	36.80		40.00							_		<u> </u>	<u> </u>	_		\downarrow
Zinc	20	33.8		42.20	<u> </u>	32.80		53.10					ļ. <u></u>				<u> </u>	<u> </u>	1		1
Cyanide	10	5.10	U	5.10	U	4.90	U_	5.20	U						<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		4
							_								_		$oxed{oxed}$	ļ	ļ		
												<u> </u>	<u> </u>				_	<u> </u>	1		1_
											L		<u> </u>				1_	ļ	 _		1
																<u> </u>	_	ļ	1_		
			<u>L</u> .	L					Ŀ			<u> </u>	<u> </u>	<u> </u>	<u>L</u>	<u></u>		<u> </u>		<u> </u>	لــــــــــــــــــــــــــــــــــــــ